

## CONTENTS

## VOLUME 47, NUMBER 1, JANUARY 1970

	PAGE
Studies on Pigment Destruction during Spathetti Processing. <i>R. R. Matsuo, J. W. Bradley, and G. N. Irvine</i> . . . . .	1
Purification and Partial Characterization of a Major Globulin from Rice Endosperm. <i>D. F. Houston and A. Mohammad</i> . . . . .	5
Note on the Nature of the "Nonlipid" Material Extracted from Flour by Mixtures of Butanol-1 and Water. <i>A. H. Bloksma</i> . . . . .	12
Studies on Starches of High Amylose Content. XI. Some Physical Properties of Dispersions of Amylomaze Starch, and Observations on the Nature of High-Amylose Starches. <i>G. K. Adkins, C. T. Greenwood, and D. J. Hourston</i> . . . . .	13
Natural Maturing of Wheat Flour. I. Changes in Some Chemical Components and Farinograph and Extensigraph Properties. <i>T. Yoneyama, I. Suzuki, and M. Murohashi</i> . . . . .	19
Natural Maturing of Wheat Flour. II. Effect of Temperature on Changes in Soluble SH Content, and Some Rheological Properties of Doughs Obtained from the Flour. <i>T. Yoneyama, I. Suzuki, and M. Murohashi</i> . . . . .	27
Storage Stability of Lysine in Lysine-Fortified Wheat. <i>R. E. Ferrel, A. D. Shepherd, and D. G. Guadagni</i> . . . . .	33
Use of Dye-Binding and Biuret Techniques for Estimating Protein in Brown and Milled Rice. <i>L. C. Parial and L. W. Rooney</i> . . . . .	38
Analysis of the Effluent Released from Wheat and Soybeans during Heating. <i>R. Iden, R. Livingston, and C. A. Watson</i> . . . . .	43
Methods for Determining the Extent of Stinkbug Damage in Soybeans. I. Density Method. <i>J. R. Hart and J. D. Rowan</i> . . . . .	49
An Endo-Beta-1, 4-Glucan Hydrolase from Germinated Barley. <i>D. J. Moffa and W. W. Luchsinger</i> . . . . .	54
Wet-Milling Properties of Four Sorghum Parents and Their Hybrids. <i>J. R. Norris, and L. W. Rooney</i> . . . . .	64
A Note on Dissimilar Subunits Present in Dissociated Soybean Globulins. <i>N. Catsimpoolas</i> . . . . .	70
Solubilization and Recovery of Protein from Defatted Rice Bran. <i>L. Chen and D. F. Houston</i> . . . . .	72
On the Relationship between Free and Latent Beta-Amylases in Wheat. <i>J. E. Kruger</i> . . . . .	79
Modification of Wheat Starch by Initiating Systems Used for Graft Polymerization. <i>G. F. Fanta, R. C. Burr, C. R. Russell, and C. E. Rist</i> . . . . .	85
Apparatus for Vertical Polyacrylamide Gel Electrophoresis. <i>J. M. Lawrence, D. R. Grant, and H. E. Herrick</i> . . . . .	91
Analysis of Wheat Flour Proteins by Polyacrylamide Gel Electrophoresis. <i>J. M. Lawrence, H. E. Herrick, and D. R. Grant</i> . . . . .	98
Dye-Binding Capacity and Amino Acid Content of Wheat-Protein Gel-Electrophoresis Bands. <i>J. M. Lawrence, Su-Chin Liu, and D. R. Grant</i> . . . . .	110

## VOLUME 47, NUMBER 2, MARCH 1970

	PAGE
Inhibition of Durum Wheat Lipoxidase with L-Ascorbic Acid. <i>D. E. Walsh, V. L. Youngs, and K. A. Gilles</i> . . . . .	119
Comparison of Flour Particle Size Distributions Measured by Electrical Resistivity and Microscopy. <i>J. T. Wilson, and D. H. Donelson</i> . . . . .	126
Functional (Breadmaking) and Biochemical Properties of Wheat Flour Components. VI. Gliadin-Lipid-Glutelin Interaction in Wheat Gluten. <i>R. C. Hoseney, K. F. Finney, and Y. Pomeranz</i> . . . . .	135

## CONTENTS

## VOLUME 47, NUMBER 1, JANUARY 1970

	PAGE
Studies on Pigment Destruction during Spathetti Processing. <i>R. R. Matsuo, J. W. Bradley, and G. N. Irvine</i> . . . . .	1
Purification and Partial Characterization of a Major Globulin from Rice Endosperm. <i>D. F. Houston and A. Mohammad</i> . . . . .	5
Note on the Nature of the "Nonlipid" Material Extracted from Flour by Mixtures of Butanol-1 and Water. <i>A. H. Bloksma</i> . . . . .	12
Studies on Starches of High Amylose Content. XI. Some Physical Properties of Dispersions of Amylomaize Starch, and Observations on the Nature of High-Amylose Starches. <i>G. K. Adkins, C. T. Greenwood, and D. J. Hourston</i> . . . . .	13
Natural Maturing of Wheat Flour. I. Changes in Some Chemical Components and Farinograph and Extensigraph Properties. <i>T. Yoneyama, I. Suzuki, and M. Murohashi</i> . . . . .	19
Natural Maturing of Wheat Flour. II. Effect of Temperature on Changes in Soluble SH Content, and Some Rheological Properties of Doughs Obtained from the Flour. <i>T. Yoneyama, I. Suzuki, and M. Murohashi</i> . . . . .	27
Storage Stability of Lysine in Lysine-Fortified Wheat. <i>R. E. Ferrel, A. D. Shepherd, and D. G. Guadagni</i> . . . . .	33
Use of Dye-Binding and Biuret Techniques for Estimating Protein in Brown and Milled Rice. <i>L. C. Parial and L. W. Rooney</i> . . . . .	38
Analysis of the Effluent Released from Wheat and Soybeans during Heating. <i>R. Iden, R. Livingston, and C. A. Watson</i> . . . . .	43
Methods for Determining the Extent of Stinkbug Damage in Soybeans. I. Density Method. <i>J. R. Hart and J. D. Rowan</i> . . . . .	49
An Endo-Beta-1, 4-Glucan Hydrolase from Germinated Barley. <i>D. J. Moffa and W. W. Luchsinger</i> . . . . .	54
Wet-Milling Properties of Four Sorghum Parents and Their Hybrids. <i>J. R. Norris, and L. W. Rooney</i> . . . . .	64
A Note on Dissimilar Subunits Present in Dissociated Soybean Globulins. <i>N. Catsimpoolas</i> . . . . .	70
Solubilization and Recovery of Protein from Defatted Rice Bran. <i>L. Chen and D. F. Houston</i> . . . . .	72
On the Relationship between Free and Latent Beta-Amylases in Wheat. <i>J. E. Kruger</i> . . . . .	79
Modification of Wheat Starch by Initiating Systems Used for Graft Polymerization. <i>G. F. Fanta, R. C. Burr, C. R. Russell, and C. E. Rist</i> . . . . .	85
Apparatus for Vertical Polyacrylamide Gel Electrophoresis. <i>J. M. Lawrence, D. R. Grant, and H. E. Herrick</i> . . . . .	91
Analysis of Wheat Flour Proteins by Polyacrylamide Gel Electrophoresis. <i>J. M. Lawrence, H. E. Herrick, and D. R. Grant</i> . . . . .	98
Dye-Binding Capacity and Amino Acid Content of Wheat-Protein Gel-Electrophoresis Bands. <i>J. M. Lawrence, Su-Chin Liu, and D. R. Grant</i> . . . . .	110

## VOLUME 47, NUMBER 2, MARCH 1970

	PAGE
Inhibition of Durum Wheat Lipoxidase with L-Ascorbic Acid. <i>D. E. Walsh, V. L. Youngs, and K. A. Gilles</i> . . . . .	119
Comparison of Flour Particle Size Distributions Measured by Electrical Resistivity and Microscopy. <i>J. T. Wilson, and D. H. Donelson</i> . . . . .	126
Functional (Breadmaking) and Biochemical Properties of Wheat Flour Components. VI. Gliadin-Lipid-Glutenin Interaction in Wheat Gluten. <i>R. C. Hoseney, K. F. Finney, and Y. Pomeranz</i> . . . . .	135

Properties of Wheat Beta-Amylase Adsorbed on Glutenin. <i>John A. Rothfus, and Stephen J. Kennel</i> . . . . .	140
Analysis of Starch in Wheat Milling Fractions. <i>R. M. Saunders, A. L. Potter, Margaret Connor, R. M. McReady, and H. G. Walker, Jr.</i> . . . .	147
Functional (Breadmaking) and Biochemical Properties of Wheat Flour Components. VII. Petroleum Ether-Soluble Lipoproteins of Wheat Flour. <i>R. C. Hoseney, Y. Pomeranz, and K. F. Finney</i> . . . . .	153
A Note on the Interaction between Glycolipids and Wheat Flour Macromolecules. <i>H. P. Wehrli and Y. Pomeranz</i> . . . . .	160
Soybean Trypsin Inhibitor: A Reference Protein for Gel Electrophoretic Studies of Soybean Proteins. <i>A. C. Eldridge, J. E. Kalbrener, and W. J. Wolf</i> . . . . .	167
Effect of Gluten on the Cooking Quality of Spaghetti. <i>R. R. Matsuo, and G. N. Irvine</i> . . . . .	173
The Use of Some Oilseed Flours in Bread. <i>Ruth H. Matthews, Elinora J. Sharpe, and Willa M. Clark</i> . . . . .	181
The Acetic Acid Content of Sour French Bread and Dough as Determined by Gas Chromatography. <i>I. R. Hunter, M. K. Walden, and L. Kline</i> . . . . .	189
Effect of Water-Soluble Pentosans on Gluten-Starch Loaves. <i>B. L. D'Appolonia, K. A. Gilles, and D. G. Medcalf</i> . . . . .	194
Note on the Amino Acid Composition of the Protein in Commercial Corn Starch. <i>R. A. Reiners, R. E. Morgan, and J. D. Shroder</i> . . . . .	205
The Ottawa Electronic Recording Dough Mixer. VII. Factors Affecting Performance and the Use of Digital Recording Techniques. <i>Peter W. Voisey, and H. Miller</i> . . . . .	207

## VOLUME 47, NUMBER 3, MAY 1970

## PAGE

A Note on Autoradiography of Tritium-Labeled Galactolipids in Dough and Bread. <i>H. P. Wehrli and Y. Pomeranz</i> . . . . .	221
Large-Deformation and Rupture Properties of Wheat Flour Gluten. <i>J. Rinde, N. W. Tschoegl, and T. L. Smith</i> . . . . .	225
Erratum (Vol. 47, p. 78, Chen and Houston) . . . . .	235
Electron Microscopy of Endosperm Protein from Hard and Soft Wheats. <i>H. L. Seckinger and M. J. Wolf</i> . . . . .	236
Chlorine Tolerance of Microorganisms Found in Wheat and Flour. <i>C. P. Kurtzman, and C. W. Hesseltine</i> . . . . .	244
Influence of Yeast Fermentation and Baking on the Content of Free Amino Acids and Primary Amino Groups and Their Effect on Bread Aroma Stimuli. <i>Ahmed A. El-Dash and John A. Johnson</i> . . . . .	247
Studies on the Extraction of Proteins from Red Kidney Beans. I. Improvement in Filterability of Aqueous Bean Extract. <i>Y. D. Yang, W. F. Wilkens, A. S. Hill, K. H. Steinkraus, and L. R. Hackler</i> . . . . .	259
Amino Acid Composition and Nutritional Value of Milled Fractions of Sorghum Grain. <i>F. K. Shoup, C. W. Deyoe, L. Skoch, M. Shamsuddin, J. Bathurst, G. D. Miller, L. S. Murphy, and D. B. Parrish</i> . . . . .	266
Direct Starch Analysis Using DMSO Solubilization and Glucoamylase. <i>Robert A. Libby</i> . . . . .	273

The Hydrolysis of Alpha Naphthyl Acetate and L-Leucyl-Beta-Naphthylamide by Enzymes from Wheat Embryo. <i>Neville Prentice, W. C. Burger, Mary Moeller, and Jeannine Kastenschmidt</i> . . . . .	282
Extraction and Determination of Phytic Acid in Beans ( <i>Phaseolus vulgaris</i> ). <i>Rachel U. Makower</i> . . . . .	288
Some Effects of Antioxidants in Dough Systems. <i>L. K. Dahle and P. R. Murthy</i> . . . . .	296
Chemical Dehulling of Dent Corn. <i>C. W. Blessin, W. L. Deatherage, and G. E. Inglett</i> . . . . .	303
Air-Classification and Baking Characteristics of High-Protein Atlas 66 X Comanche Lines of Hard Red Winter Wheat. <i>P. J. Mattern, V. A. Johnson, and J. W. Schmidt</i> . . . . .	309

## VOLUME 47, NUMBER 4, JULY 1970

	PAGE
Wheat Hydrocarbons. <i>V. L. Youngs and K. A. Gilles</i> . . . . .	317
Cream Puffs Prepared with Frozen, Foam-Spray-Dried, Freeze-Dried, and Spray-Dried Eggs. <i>Kaye Funk, Mary E. Zabik, Gisele Charlebois, and Doris M. Downs</i> . . . . .	324
Thermal Aggregation of Glycinin Subunits. <i>N. Catsimpoolas, S. K. Funk, and E. W. Meyer</i> . . . . .	331
A Rapid Nuclear Magnetic Resonance Method for Determining Hydroxypropyl Group in Modified Starch. <i>H. Stahl and R. P. McNaught</i> . . . . .	345
Beta-Amylase of an Alien Genome Combinant. <i>W. Y. Lee and A. M. Unrau</i> . . . . .	351
Amino Acid Composition and Energy Value of Immature Sorghum Grain. <i>C. W. Deyoe, F. K. Shoup, G. D. Miller, J. Bathurst, D. Liang, P. E. Sanford, and L. S. Murphy</i> . . . . .	363
Methods of Determining Extent of Stinkbug Damage in Soybeans. II. Flotation Method. <i>J. R. Hart</i> . . . . .	369
Wheat Germ in Breadmaking. I. Composition of Germ Lipids and Germ Protein Fractions. <i>Y. Pomeranz, M. J. Carvajal, R. C. Hoseney, and A. B. Ward</i> . . . . .	373
Comparison of Peptides from Wheat Gliadin and Glutenin. <i>J. A. Bietz and J. A. Rothfus</i> . . . . .	381
Chromatographic Comparisons of Peptic Digests of Individual Gliadin Proteins. <i>J. A. Bietz, F. R. Huebner, and J. A. Rothfus</i> . . . . .	393
Studies with Radioactive Tracers. XVI. The Fate of Glycine-2- <sup>14</sup> C during Breadmaking. <i>Y. H. Liao and C. C. Lee</i> . . . . .	404
A Rapid Colorimetric Procedure for Estimating the Amylose Content of Starches and Flours. <i>P. C. Williams, F. D. Kuzina, and I. Hlynka</i> . . . . .	411
Effect of Common Fumigants on the Baking Qualities of Wheat. <i>M. Calderon, S. Navarro, and Z. Lindner</i> . . . . .	422
Wheat Germ in Breadmaking. II. Improving Breadmaking Properties by Physical and Chemical Methods. <i>Y. Pomeranz, M. J. Carvajal, M. D. Shogren, R. C. Hoseney, and K. F. Finney</i> . . . . .	429
Amylose Determination in Dimethyl Sulfoxide Extracts of Maize. <i>M. J. Wolf, E. H. Melvin, W. J. Garcia, R. J. Dimler, and W. F. Kwolek</i> . . . . .	437
Soluble Proteins of Wheat. III. Isolation and Characterization of Two Albumins, ALB 13A and ALB 13B, from Flour. <i>P. Feillet and C. C. Nimmo</i> . . . . .	447
Association of Bound Beta-Amylase with Protein Bodies in Barley. <i>Bente Tronier and Robert L. Ory</i> . . . . .	464
Protein Fractionation of Sorghum Grain. <i>L. V. Skoch, C. W. Deyoe, F. K. Shoup, J. Bathurst, and D. Liang</i> . . . . .	472

## VOLUME 47, NUMBER 5, SEPTEMBER 1970

	PAGE
Effects of Amylases and Metals on the Pasting Properties of Wheat Flour, Determined by the Amylograph and by Hagberg's Falling-Number Method. <i>Peter Meredith</i> . . . . .	483
Inactivation of Cereal Alpha-Amylase by Brief Acidification: the Pasting Strength of Flour. <i>Peter Meredith</i> . . . . .	492
Extraction and Structure Studies on Corn Glutelin Proteins. <i>H. C. Nielsen, J. W. Paulis, C. James, and J. S. Wall</i> . . . . .	501
Preparation and Evaluation of Popped Grains for Feed Use. <i>H. G. Walker, W. C. Rockwell, and G. O. Kohler</i> . . . . .	513
Changes in Wheat Lipids during Seed Maturation. I. Physical and Chemical Changes in the Kernel. <i>Sandra K. Skarsaune, V. L. Youngs, and K. A. Gilles</i> . . . . .	522
Changes in Wheat Lipids during Seed Maturation. II. Changes in Lipid Composition. <i>Sandra K. Skarsaune, V. L. Youngs, and K. A. Gilles</i> . . . . .	533
Methods for Determining the Extent of Stinkbug Damage in Soybeans. III. Relation of Stinkbug Damage to Quality in Soybeans. <i>J. R. Hart</i> . . . . .	545
Fatty-Acid Composition of Oil from Four Kernel Fractions of Corn ( <i>Zea mays</i> L.) Inbred Lines. <i>M. D. Jellum</i> . . . . .	549
Gelation Phenomena of Soybean Globulins. I. Protein-Protein Interactions. <i>N. Catsimpooulas and E. W. Meyer</i> . . . . .	559
Effect of Physical and Chemical Processing Factors on the Redispersibility of Dried Soy Milk Proteins. <i>Danji Fukushima and Jerome P. Van Buren</i> . . . . .	571
Effects of Fumigation on Wheat in Storage. I. Physical Measurement of Flour. <i>Ruth H. Matthews, C. C. Fifield, T. F. Hartsing, C. L. Storey, and N. M. Dennis</i> . . . . .	579
Effects of Fumigation on Wheat in Storage. II. Physical and Eating Qualities of Breads and Rolls. <i>Ruth H. Matthews, C. C. Fifield, and T. F. Hartsing</i> . . . . .	587
Barley Starch. IV. A Study of the Cooking Viscosity Curves of Twelve Barley Genotypes. <i>K. J. Goering, Robert Eslick, and Bernice DeHaas</i> . . . . .	592
Heterogeneity of Soybean Trypsin Inhibitor. I. Chromatographic Fractionation and Polyacrylamide-Gel Electrophoresis. <i>Tetsujiro Obara, M. Kimura-Kobayashi, Takekazu Kobayashi, and Yukio Watanabe</i> . . . . .	597
Use of $^{14}\text{C}$ -labeled Flour Proteins to Assess the Effect of Dough Mixing on Their Mobility in Gel Electrophoresis. <i>Hedwig E. Herrick and J. M. Lawrence</i> . . . . .	607
Determining of the First-Limiting Amino Acid of Wheat and Triticale Grain for Humans. <i>Constance Kies and Hazel Fox</i> . . . . .	615
Characterization of Wheat Flour Proteins by Differential Solubility in Conjunction with Disc Electrophoresis. <i>P. C. Williams and Connie Butler</i> . . . . .	626
The Distribution of Lipids in Fractionated Wheat Flour. <i>V. L. Youngs, D. G. Medcalf, and K. A. Gilles</i> . . . . .	640
Erratum (Vol. 47, p. 225, Rinde, Tschögl, and Smith) . . . . .	649
Note on the Effect of pH and Oxygen on the Mixing Properties and Protein Solubility of Flour Doughs. <i>D. E. Smith and J. D. Mullen</i> . . . . .	650
New Starches. V. Properties of the Small Starch Granules from <i>Amaranthus retroflexus</i> . <i>P. V. Subba Rao and K. J. Goering</i> . . . . .	655

## VOLUME 47, NUMBER 6, NOVEMBER 1970

## CONTENTS

## PAGE

Effect on Protein Quality of Supplementing Wheat Flour with Chickpea Flour. <i>Nazira A. Shehata and Beth A. Fryer</i> . . . . .	663
Protein Nutritive Value of Wheat and Triticale Grain for Humans, Studied at Two Levels of Protein Intake. <i>Constance Kies and Hazel Metz Fox</i> . . . . .	671
Use of Gaseous Nitrogen for Controlling Stored-Product Insects in Cereal Grains. <i>N. K. Person, Jr., and J. W. Sorenson, Jr.</i> . . . . .	679
Mechanisms of Protein Insolubilization during the Drying of Soy Milk. Role of Disulfide and Hydrophobic Bonds. <i>Danji Fukushima and J. Van Buren</i> . . . . .	687
Note on the Reaction of Gaseous Chlorine with a Wheat Flour Hemicellulose. <i>E. W. Cole</i> . . . . .	696
Survey of Corn for Aflatoxin, Zearalenone, and Ochratoxin. <i>Odette L. Shotwell, C. W. Hesseltine, Marion L. Goulden, and Elsie L. Vandegraft</i> . . . . .	700
Laboratory Parboiling Apparatus and Methods of Evaluating Parboil-Canning Stability of Rice. <i>B. D. Webb and C. R. Adair</i> . . . . .	708
Nutrient Composition of Selected Wheats and Wheat Products. V. Carbohydrate. <i>J. F. Eheart and Blanche S. Mason</i> . . . . .	715
Nutrient Composition of Selected Wheats and Wheat Products. VI. Distribution of Manganese, Copper, Nickel, Zinc, Magnesium, Lead, Tin, Cadmium, Chromium, and Selenium as Determined by Atomic Absorption Spectroscopy and Colorimetry. <i>Elizabeth Gates Zook, F. Ella Greene, and E. R. Morris</i> . . . . .	720
Use of Frozen, Foam-Spray-Dried, Freeze-Dried, and Spray-Dried Whole Eggs in Yellow Layer Cakes. <i>Kaye Funk, Martha T. Conklin, and Mary E. Zabik</i> . . . . .	732
Erratum (Vol. 46, p. 349, Onolee J. Franks, Mary E. Zabik, and Kaye Funk) . . . . .	738
Changes in Physical and Sensory Characteristics of Doughs and of Bread Containing Various Amounts of Fish Protein Concentrate and Lysine. <i>V. D. Sidwell and O. A. Hammerle</i> . . . . .	739
Variability in the Lysine Content of Wheat, Rye, and Triticale Proteins. <i>Evangelina Villegas, C. E. McDonald, and K. A. Gilles</i> . . . . .	746
Author Index Vol. 47 . . . . .	758
Subject Index Vol. 47 . . . . .	764
Editorial Policy . . . . .	ii
Suggestions to Authors . . . . .	ix



# INDEX TO VOLUME XLVII

## AUTHORS

	Page		Page
<b>Adair, C. R.</b> (see B. D. Webb) . . . .	708	globulins. I. Protein-protein interaction . . . . .	559
<b>Adkins, G. K., C. T. Greenwood, and D. J. Hourston.</b> Studies on starches of high amylose content. XI. Some physicochemical properties of dispersions of amylomaize starch, and observations on the nature of high amylose starches . . . . .	13	<b>Charlebois, Gisele</b> (see Kaye Funk) . .	324
<b>Bathurst, J.</b> (see C. W. Deyoe) . . . .	363	<b>Chen, Lora, and D. F. Houston.</b> Solubilization and recovery of protein from defatted rice bran . .	72
_____ (see F. K. Shoup) . . . .	266	_____, and _____ . . . . .	235
_____ (see L. V. Skoch) . . . .	472	<b>Erratum for Vol. 47, p. 78</b> . . . . .	235
<b>Bietz, J. A., F. R. Huebner, and J. A. Rothfus.</b> Chromatographic comparisons of peptic digests of individual gliadin proteins . . . . .	393	<b>Clark, Willa M.</b> (see Ruth H. Matthews) . . . . .	181
_____, and J. A. Rothfus. Comparison of peptides from wheat gliadin and glutenin . . . . .	381	<b>Cole, E. W.</b> Note on the reaction of gaseous chlorine with a wheat flour hemicellulose . . . . .	696
<b>Blessin, C. W., W. L. Deatherage, and G. E. Inglett.</b> Chemical dehulling of dent corn . . . . .	303	<b>Conklin, Martha T.</b> (see Kaye Funk) . .	732
<b>Bloksma, A. H.</b> Note on the nature of nonlipid material extracted from flour by mixtures of butanol-1 and water . . . . .	12	<b>Connor, Margaret</b> (see R. H. Saunders) . . . . .	147
<b>Bradley, J. W.</b> (see R. R. Matsuo) . .	1	<b>Dahle, L. K., and P. R. Murthy.</b> Some effects of antioxidants in dough systems . . . . .	296
<b>Burger, W. C.</b> (see N. Prentice) . . . .	282	<b>D'Appolonia, B. L., K. A. Gilles, and D. G. Medcalf.</b> Effect of water-soluble pentosans on gluten-starch loaves . . . . .	194
<b>Burr, R. C.</b> (see G. F. Fanta) . . . . .	85	<b>Deatherage, W. L.</b> (see C. W. Blessin) .	303
<b>Butler, Connie</b> (see P. C. Williams) . .	626	<b>De Haas, Bernice</b> (see K. J. Goering) .	592
<b>Calderon, M., S. Navarro, and Z. Lindner.</b> Effect of common fumigants on the baking qualities of wheat . . . . .	422	<b>Dennis, N. M.</b> (see Ruth H. Matthews) . . . . .	579
<b>Carvajal, M. J.</b> (see Y. Pomeranz) . .	373	<b>Deyoe, C. W., F. K. Shoup, G. D. Miller, J. Bathurst, D. Liang, P. E. Sanford, and L. S. Murphy.</b> Amino acid composition and energy value of immature sorghum grain . . . . .	363
<b>Catsimpooulas, N.</b> A note on dissimilar subunits present in dissociated soybean globulins . . . . .	70	_____, (see F. K. Shoup) . . . . .	266
_____, S. K. Funk, and E. W. Meyer. Thermal aggregation of glycinin subunits . . . . .	331	_____, (see L. V. Skoch) . . . . .	472
_____, and E. W. Meyer. Gelation phenomena of soybean		<b>Dimler, R. J.</b> (see M. J. Wolf) . . . . .	437
		<b>Donelson, D. H.</b> (see J. T. Wilson) . .	126
		<b>Downs, Doris M.</b> (see Kaye Funk) . .	324
		<b>Eheart, J. F., and Blanche S. Mason.</b> Nutrient composition of selected wheats and wheat products. V. Carbohydrate . . . . .	727
		<b>El-Dash, A. A., and J. A. Johnson.</b>	



- Influences of yeast fermentation and baking on the content of free amino acids and primary groups and their effect on bread aroma stimuli . . . . . 247
- Eldridge, A. C., J. E. Kalbrener, and W. J. Wolf. Soybean trypsin inhibitor: a reference protein for gel electrophoretic studies of soybean proteins . . . . . 167
- Eslick, R. (see K. J. Goering) . . . . 592
- Fanta, G. F., R. C. Burr, C. R. Russell, and C. E. Rist. Modification of wheat starch by initiating systems used for graft polymerization . . . . . 85
- Feillet, P., and C. C. Nimmo. Soluble proteins of wheat. III. Isolation and characterization of two albumins, ALB 13A and ALB 13B, from flour . . . . . 447
- Ferrel, R. E., A. D. Shepherd, and D. G. Guadagni. Storage stability of lysine in lysine-fortified wheat . . . 33
- Fifield, C. C. (see Ruth H. Matthews). 587
- Finney, K. F. (see R. C. Hosney) . 135, 153  
(see Y. Pomeranz) . . . . . 429
- Fox, Hazel M. (see Constance Kies) 615, 671
- Franks, Onolee J., et al. Erratum for Vol. 46, p. 351 . . . . . 738
- Fryer, Beth (see Nazira A. Shehata) . 663
- Fukushima, D., and J. P. Van Buren. Effect of physical and chemical processing factors on the redispersibility of dried soy milk products . . . . . 571  
and . . . . .
- Mechanisms of protein insolubilization during the drying of soy milk. Role of disulfide and hydrophobic bonds . . . . . 687
- Funk, Kaye, Mary E. Zabik, Gisele Charlebois, and Doris M. Downs. Cream puffs prepared with frozen, foam-spray-dried, freeze-dried and spray-dried eggs . . . . . 324
- \_\_\_\_\_, Martha T. Conklin, and Mary E. Zabik. Use of frozen, foam-spray-dried, and spray-dried whole eggs in yellow layer cakes . . 732
- Funk, S. K. (see N. Catsimopoulos) . . 331
- Garcia, W. J. (see M. J. Wolf) . . . . 437
- Gilles, K. A. (see B. L. D'Appolonia). 194  
\_\_\_\_\_. (see Sandra K. Skarsaune) . . . . . 522  
\_\_\_\_\_. (see Evangelina Villegas). 746  
\_\_\_\_\_. (see D. E. Walsh) . . . . 119
- Goering, K. J., R. Eslick, and Bernice De Haas. Barley starch. IV. A study of the cooking viscosity curves of twelve barley genotypes . . . . . 592  
\_\_\_\_\_. (see P. V. Subba Rao) . . 655
- Goulden, Marion L. (see Odette L. Shotwell) . . . . . 700
- Grant, D. W. (see J. M. Lawrence) . . 91
- Greene, F. Ella (see Elizabeth G. Zook) . . . . . 715
- Greenwood, C. T. (see G. K. Adkins). 13
- Hackler, L. R. (see Y. D. Hang) . . . 259
- Hang, Y. D., W. F. Wilkens, A. S. Hill, K. H. Steinkraus, and L. R. Hackler. Studies on the extraction of proteins from red kidney beans. I. Improvement in filterability of aqueous bean extract . . . . . 259
- Hammerle, O. A. (see V. D. Sidwell) . 739
- Hart, J. R., and J. D. Rowan. Methods for determining the extent of stinkbug damage in soybeans. I. Density method . . . . . 49  
\_\_\_\_\_. Methods of determining extent of stinkbug damage in soybeans. II. Flotation method . . 369  
\_\_\_\_\_. Methods for determining the extent of stinkbug damage in soybeans. III. Relation of stinkbug damage to quality in soybeans . . 545
- Hartsing, T. F. (see Ruth H. Matthews) . . . . . 579, 587
- Herrick, Hedwig E., and J. M. Lawrence. Use of <sup>14</sup>C-labeled flour proteins to assess the effect of dough mixing on their mobility in gel electrophoresis . . . . . 607  
\_\_\_\_\_. (see J. M. Lawrence) . . 91
- Hesseltine, C. W. (see C. P. Kurtzman) . . . . . 244  
\_\_\_\_\_. (see Odette L. Shotwell) . . . . . 700
- Hill, A. S. (see Y. D. Hang) . . . . 259
- Hosney, R. C., K. F. Finney, and Y. Pomeranz. Functional (breadmaking) and biochemical properties of wheat flour components. VI. Gliadin-lipid-glutenin interaction in wheat gluten . 135

- \_\_\_\_\_, Y. Pomeranz, and K. F. Finney. Functional (breadmaking) and biochemical properties of wheat flour components. VII. Petroleum ether-soluble lipoproteins of wheat flour . . . . . 153  
 \_\_\_\_\_ (see Y. Pomeranz) . . . . . 373
- Hourston, D. J. (see G. K. Adkins) . . . . . 13
- Houston, D. F., and A. Mohammad. Purification and partial characterization of a major globulin from rice endosperm . . . . . 5  
 \_\_\_\_\_ (see Lora Chen) . . . . . 72
- Huebner, F. R. (see J. A. Bietz) . . . . . 393
- Hunter, I. R., M. K. Walden, and L. Klein. The acetic acid content of sour french bread and dough as determined by gas chromatography. 189
- Hlynka, I. (see P. C. Williams) . . . . . 411
- Iden, R., R. Livingston, and C. A. Watson. Analysis of the effluent released from wheat and soybeans during heating . . . . . 43
- Inglett, G. E. (see C. W. Blessin) . . . . . 303
- Irvine, G. N. (see R. R. Matsuo) . . . . . 1
- James, C. (see H. C. Nielsen) . . . . . 501
- Jellum, M. D. Fatty-acid composition of oil from four kernel fractions of corn. (*Zea mays* L.) inbred lines . . . . . 549
- Johnson, J. A. (see A. A. El-Dash) . . . . . 247
- Johnson, V. A. (see P. J. Mattern) . . . . . 309
- Kalbrener, J. E. (see A. C. Eldridge) . . . . . 167
- Kastenschmidt, Jeannine (see N. Prentice) . . . . . 282
- Kennel, S. J. (see J. A. Rothfus) . . . . . 140
- Kies, Constance, and Hazel M. Fox. Determination of the first-limiting amino acid of wheat and triticale grain for humans . . . . . 615  
 \_\_\_\_\_, and \_\_\_\_\_  
 Protein nutritive value of wheat and triticale grain for humans, studied at two levels of protein intake . . . . . 671
- Kimura-Kobayashi, M. (see T. Obara) . . . . . 597
- Klein, L. (see I. R. Hunter) . . . . . 189
- Kohler, G. O. (see H. G. Walker, Jr.) . . . . . 513
- Kruger, J. E. On the relationship between free and latent beta-amylases in wheat . . . . . 79
- Kurtzman, C. P., and C. W. Hesseltine. Chlorine tolerance of microorganisms found in wheat and flour . . . . . 244
- Kuzina, F. D. (see P. C. Williams) . . . . . 411
- Kwolek, W. F. (see M. J. Wolf) . . . . . 437
- Lai, B. (see H. G. Walker, Jr.) . . . . . 513
- Lawrence, J. M., D. R. Grant, and Hedwig E. Herrick. Apparatus for vertical polyacrylamide gel electrophoresis . . . . . 91  
 \_\_\_\_\_, Hedwig E. Herrick, and D. R. Grant. Analysis of wheat flour proteins by polyacrylamide gel electrophoresis . . . . . 98  
 \_\_\_\_\_, S. C. Liu, and D. R. Grant. Dye-binding capacity and amino acid content of wheat-protein gel electrophoresis bands . . . . . 110  
 \_\_\_\_\_ (see Hedwig E. Herrick) . . . . . 607
- Lee, C. C. (see Y. H. Liao) . . . . . 404
- Lee, W. Y., and A. M. Unrau. Beta-amylase of an alien genome combinant . . . . . 351
- Liang, D. (see C. W. Deyoe) . . . . . 363  
 \_\_\_\_\_ (see L. V. Skoch) . . . . . 472
- Liao, Y. H., and C. C. Lee. Studies with radioactive tracers. XVI. The fate of glycine-2-<sup>14</sup>C during breadmaking . . . . . 404
- Libbey, R. A. Direct starch analysis using DMSO solubilization and glucoamylase . . . . . 273
- Lindner, Z. (see M. Calderon) . . . . . 422
- Liu, S. C. (see J. M. Lawrence) . . . . . 110
- Livingston, R. (see R. Iden) . . . . . 43
- Luchsinger, W. W. (see D. J. Moffa) . . . . . 54
- Makower, Rachel U. Extraction and determination of phytic acid in beans. (*Phaseolus vulgaris*) . . . . . 288
- Mason, Blanche S. (see J. F. Eheart) . . . . . 727
- Matsuo, R. R., J. W. Bradley, and G. N. Irvine. Studies on pigment destruction during spaghetti processing . . . . . 1

- Mattern, P. J., V. A. Johnson, and J. W. Schmidt. Air-classification and baking characteristics of high-protein Atlas 66X Comanche lines of hard red winter wheat . . . 309
- Matthews, Ruth H., C. C. Fifield, and T. F. Hartsing. Effects of fumigation on wheat in storage. II. Physical and eating qualities of bread and rolls . . . 587
- \_\_\_\_\_, C. L. Storey, and N. M. Dennis. Effects of fumigation on wheat storage. II. Physical measurements of flour . . . 579
- \_\_\_\_\_, Elinora J. Sharpe, and Willa M. Clark. The use of some oilseed flours in bread . . . 181
- McCready, R. M. (see R. M. Saunders) 147
- McDonald C. E. (see Evangelina Villegas) . . . 746
- McNaught, R. P. (see H. Stahl) . . . 345
- Medcalf, D. G. (see B. L. D'Appolonia) . . . 194
- \_\_\_\_\_, (see V. L. Youngs) . . . 640
- Melvin, E. H. (see M. J. Wolf) . . . 437
- Meredith, P. Effects of amylase and metals on the pasting properties of wheat flour, determined by the amylograph and by Hagberg's falling-number method . . . 483
- \_\_\_\_\_. Inactivation of cereal alpha-amylase by brief acidification: The pasting strength of wheat flour . . . 492
- Meyer, E. W. (see N. Catsimpoilas) . . . 331
- Miller, G. D. (see C. W. Deyoe) . . . 363
- \_\_\_\_\_, (see F. K. Shoup) . . . 266
- Miller, H. (see P. W. Voisey) . . . 207
- Moeller, Mary (see N. Prentice) . . . 282
- Moffa, D. J., and W. W. Luchsinger. An endo-beta-1, 4-glucan hydrolase from germinated barley . . . 54
- Mohammad, A. (see D. F. Houston) . . . 5
- Morgan, R. E. (see R. A. Reinert) . . . 205
- Morris, E. R. (see Elizabeth G. Zook) . . . 715
- Mullen, J. R. (see D. E. Smith) . . . 650
- Murohashi, M. (see T. Yoneyama) . . . 19
- Murphy, L. S. (see C. W. Deyoe) . . . 363
- \_\_\_\_\_, (see F. K. Shoup) . . . 266
- Murthy, P. R. (see L. K. Dahle) . . . 296
- Nielsen, H. C., J. W. Paulis, C. James, and J. S. Wall. Extraction and structure studies on corn glutelin proteins . . . 501
- Nimmo, C. C. (see P. Feillet) . . . 447
- Norris, J. R., and L. W. Rooney. Wet-milling properties of four sorghum parents and their hybrids . . . 64
- Obara, T., M. Kimura-Kobayashi, T. Kobayashi, and Y. Watanabe. Heterogeneity of soybean trypsin inhibitor. I. Chromatographic fractionation and polyacrylamide-gel electrophoresis . . . 597
- Ory, R. L. (see B. Tronier) . . . 464
- Parial, Lucila C., and L. W. Rooney. Use of dye-binding and biuret techniques for estimating protein in brown and milled rice . . . 38
- Parrish, D. B. (see F. K. Shoup) . . . 266
- Paulis, J. W. (see H. C. Nielsen) . . . 501
- Person, N. K., Jr., and J. W. Sorenson, Jr. Use of gaseous nitrogen for controlling stored-product insects in cereal grains . . . 679
- Pomeranz, Y., M. J. Carvajal, R. C. Hoseney, and A. B. Ward. Wheat germ in breadmaking. I. Composition of germ lipids and germ protein fractions . . . 373
- \_\_\_\_\_, M. D. Shogren, R. C. Hoseney, and K. F. Finney. Wheat germ in breadmaking. II. Improving breadmaking properties by physical and chemical methods . . . 429
- \_\_\_\_\_, (see R. C. Hoseney) . . . 135, 153
- \_\_\_\_\_, (see H. P. Wehrli) . . . 221
- Potter, A. L. (see R. M. Saunders) . . . 147
- Prentice, N., W. C. Burger, Mary Moeller, and Jeannine Kastenschmidt. The hydrolysis of alpha naphthyl acetate and L-leucyl-beta naphthylamide by enzymes from wheat embryo . . . 282
- Navarro, S. (see M. Calderon) . . . 422

- Reiners, R. A., R. E. Morgan, and J. D. Shroder. Note on the amino acid composition of the protein in commercial corn starch . . . . . 205
- Rinde, J. A., N. W. Tschögl, and T. L. Smith. Large-deformation and rupture properties of wheat flour gluten . . . . . 225
- \_\_\_\_\_, \_\_\_\_\_, and \_\_\_\_\_, Erratum for Vol. 47, p. 225 . . . . . 649
- Rist, C. E. (see G. F. Fanta) . . . . . 85
- Rockwell, W. C. (see H. G. Walker, Jr.) . . . . . 513
- Rooney, L. W. (see J. R. Norris) . . . . . 64
- \_\_\_\_\_, (see L. C. Parial) . . . . . 38
- Rothfus, J. A., and S. J. Kennel. Properties of wheat beta-amylase adsorbed on glutenin . . . . . 140
- \_\_\_\_\_, (see J. A. Bietz) . . . . . 393
- Rowan, J. D. (see J. R. Hart) . . . . . 49
- Russell, C. R. (see G. F. Fanta) . . . . . 85
- Sanford, P. E. (see C. W. Deyoe) . . . . . 363
- Saunders, R. M., A. L. Potter, Margaret Connor, R. M. McCready, and H. G. Walker, Jr. Analysis of starch in wheat milling fractions . . . . . 147
- Schmidt, J. W. (see P. J. Mattern) . . . . . 309
- Seckinger, H. L., and M. J. Wolf. Electron microscopy of endosperm protein from hard and soft wheats . . . . . 236
- Shamsuddin, M. (see F. K. Shoup) . . . . . 266
- Sharpe, Elinora J. (see Ruth H. Matthews) . . . . . 181
- Shehata, Nazira A., and Beth A. Fryer. Effect on protein quality of supplementing wheat flour with chickpea flour . . . . . 663
- Shepherd, A. D. (see R. E. Ferrel) . . . . . 33
- Shogren, M. D. (see Y. Pomeranz) . . . . . 429
- Shotwell, Odette L., C. W. Hesselstine, Marion L. Goulden, and Elsie E. Vandegraft. Survey of corn for aflatoxin, zearalenone, and ochratoxin . . . . . 700
- Shoup, F. K., C. W. Deyoe, L. Skoch, M. Shamsuddin, J. Bathurst, G. D. Miller, L. S. Murphy, and D. B. Parrish. Amino acid composition and nutritional value of milled fractions of sorghum grain . . . . . 266
- \_\_\_\_\_, (see C. W. Deyoe) . . . . . 363
- Shroder, J. D. (see R. A. Reiners) . . . . . 205
- Sidwell, V. D., and O. A. Hammerle. Changes in physical and sensory characteristics of doughs and of bread containing various amounts of fish protein concentrate and lysine . . . . . 739
- Skarsaune, Sandra K., V. L. Youngs, and K. A. Gilles. Changes in wheat lipids during seed maturation. I. Physical and chemical changes in the kernel . . . . . 522
- \_\_\_\_\_, \_\_\_\_\_, and \_\_\_\_\_, Changes in wheat lipids during seed maturation. II. Changes in lipid composition . . . . . 533
- Skoch, L. V., C. W. Deyoe, F. K. Shoup, J. Bathurst, and D. Liang. Protein fractionation of sorghum grain . . . . . 472
- Skoch, L. (see F. K. Shoup) . . . . . 266
- Smith, D. W., and J. D. Mullen. Note on the effect of pH and oxygen on the mixing properties and protein solubility of flour doughs . . . . . 650
- Smith, T. L. (see J. A. Rinde) . . . . . 225
- Stahl, H., and R. P. McNaught. A rapid nuclear magnetic resonance method for determining hydroxypropyl group in modified starch . . . . . 345
- Steinkraus, K. H. (see Y. D. Hang) . . . . . 259
- Storey, C. L. (see Ruth H. Matthews) . . . . . 579
- Subba Rao, P. V., and K. J. Goering. New starches. V. Properties of the small starch granules from *amaranthus retroflexus* . . . . . 655
- Suzuki, I. (see T. Yoneyama) . . . . . 19
- Tronier, B., and R. L. Ory. Association of bound beta-amylase with protein bodies in barley . . . . . 464
- Tschögl, N. W. (see J. A. Rinde) . . . . . 225
- Unrau, A. M. (see W. Y. Lee) . . . . . 351
- Van Buren, J. P. (see D. Fukushima) . . . . . 571, 687
- Vandegraft, Elsie E. (see Odette L. Shotwell) . . . . . 700

- Villegas, Evangelina, C. E. McDonald, and K. A. Gilles. Variability in the lysine content of wheat, rye, and triticale proteins . . . . . 746
- Voisey, P. W., and H. Miller. The Ottawa electronic recording dough mixer. VII. Factors affecting performance and the use of digital recording techniques . . . . . 207
- Walden, M. K. (see I. R. Hunter) . . . 189
- Walker, H. G., Jr., B. Lai, W. C. Rockwell, and G. O. Kohler. Preparation and evaluation of popped grains for feed use . . . . 513  
(see R. M. Saunders) . . . 147
- Wall, J. S. (see H. C. Nielsen) . . . 501
- Walsh, D. E., V. L. Youngs, and K. A. Gilles. Inhibition of durum wheat lipoxidase with L-ascorbic acid . . 119
- Ward, A. B. (see Y. Pomeranz) . . . 373
- Watanabe, Y. (see T. Obara) . . . 597
- Watson, C. A. (see R. Iden) . . . . 43
- Webb, B. C., and C. R. Adair. Laboratory parboiling apparatus and methods of evaluating parboil-canning stability of rice . 708
- Wehrli, H. P., and Y. Pomeranz. A note on autoradiography of tritium labeled galactolipids in dough and bread . . . . . 221
- \_\_\_\_\_, and \_\_\_\_\_. A note on the interaction between glycolipids and wheat flour macromolecules . . . . . 160
- Wilkens, W. F. (see Y. D. Hang) . . . 259
- Williams, P. C., and Connie Butler. Characterization of wheat flour proteins by differential solubility in conjunction with disc electrophoresis . . . . . 626
- \_\_\_\_\_, F. D. Kuzina, and I. Hlynka. A rapid colorimetric procedure for estimating the amylose content of starches and flours . . . . . 411
- Wilson, J. T., and D. H. Donelson. Comparison of flour particle size distributions measured by electrical resistivity and microscopy . . . . 126
- Wolf, M. J., E. H. Melvin, W. J. Garcia, R. J. Dimler, and W. F. Kwolek. Amylose determination in dimethyl sulfoxide extracts of maize (see H. L. Seckinger) . . . 236
- Wolf, W. J. (see A. C. Eldridge) . . . 167
- Yoneyama, T., I. Suzuki, and M. Murohashi. Natural maturing of wheat flour. I. Changes in some chemical components and farinograph and extensigraph properties . . . . . 19
- \_\_\_\_\_, and \_\_\_\_\_. Natural maturing of wheat flour. II. Effect of temperature on changes in soluble SH content, and some rheological properties of doughs obtained from the flour . . . . . 27
- Youngs, V. L., and K. A. Gilles. Wheat hydrocarbons . . . . . 317
- \_\_\_\_\_, D. G. Medcalf, and K. A. Gilles. The distribution of lipids in fractionated wheat flour . . . . 640  
(see Sandra K. Skarsaune) . . . . . 522  
(see D. E. Walsh) . . . 119
- Zook, Elizabeth F., F. Ella Greene, and E. R. Morris. Nutrient composition of selected wheats and wheat products. VI. Distribution of manganese, copper, nickel, zinc, magnesium, lead, tin, cadmium, chromium, and selenium as determined by atomic absorption spectroscopy and colorimetry . . . 715

## SUBJECTS

	Page		
<b>Acid(s)</b>		Wheat flour; inactivation by acidification (Meredith) . . . . .	492
Acetic, in sour dough French bread (Hunter et al.) . . . . .	189	<b>Amaranthus retroflexus</b> ; properties of starch from (Subba Rao, Goering) . . . . .	655
Amino, <i>see</i> main entry		<b>Apparatus</b>	
L-ascorbic, in spaghetti pigment (Walsh et al.) . . . . .	119	Electronic recording dough mixer (Voisey, Miller) . . . . .	207
Phytic; extraction from pinto beans (Makower) . . . . .	288	Parboiling, for laboratory use (Webb, Adair) . . . . .	708
<b>Albumins</b> , wheat flour; isolation and characterization of ALB 13A and ALB 13B (Feillet, Nimmo) . . . . .	447	For vertical electrophoresis of protein solutions through polyacrylamide gels (Lawrence et al.) . . . . .	91
<b>Amino acids</b>		<b>Barley</b>	
In beta-amylase, hybrid (Lee, Unrau) . . . . .	351	Binding of beta-amylase to protein bodies (Tronier, Ory) . . . . .	464
In corn starch, (Reiners et al.) . . . . .	205	Purification of glucan hydrolase from (Moffa, Luchsinger) . . . . .	54
Glycine, <i>see</i> main entry		Starch, viscosity of twelve genotypes (Goering et al.) . . . . .	592
Lysine, <i>see</i> main entry		<b>Barley starch</b> (a series):	
In petroleum ether-soluble lipoproteins (Hoseney et al.) . . . . .	153	IV (Goering et al.) . . . . .	592
In rice endosperm globulin (Houston, Mohammad) . . . . .	5	<b>Beans</b> , red kidney, improving filterability of aqueous extract (Hang et al.) . . . . .	259
In sorghum grain (Shoup et al.) . . . . .	266	<b>Bread and breadmaking</b>	
In immature sorghum grain (Deyoe et al.) . . . . .	363	Chickpea flour, supplement in Egyptian bread (Shehata, Fryer) . . . . .	663
In sorghum grain, by protein fractionation (Skoch et al.) . . . . .	472	Fish protein concentrate and lysine fortification of (Sidwell, Hammerle) . . . . .	739
In wheat and triticale; influence on human nitrogen retention (Kies, Fox) . . . . .	615	Galactolipids in dough (Wehrli, Pomeranz) . . . . .	221
Wheat protein; dye-binding capacity and mobility in gel electrophoresis (Lawrence et al.) . . . . .	110	Glycine, radioactive, to test browning reactions (Liau, Lee) . . . . .	404
And yeast, in bread dough (El-Dash, Johnson) . . . . .	247	Oilseed flours, addition to wheat flour (Matthews et al.) . . . . .	181
<b>Amylase, alpha-</b>		Pentosans, effect on gluten-starch loaves (D'Appolonia et al.) . . . . .	194
Effect with metals on pasting properties of wheat flours (Meredith) . . . . .	483		
In wheat flour; independence from sulfhydryl (Meredith) . . . . .	483		
<b>Amylase, beta</b>			
Bound, in barley protein (Tronier, Ory) . . . . .	464		
Hybrid, composition of (Lee, Unrau) . . . . .	351		
And glutenin; incubation with (Rothfus, Kennel) . . . . .	140		
In wheat, free and latent (Kruger) . . . . .	79		

- Petroleum ether-soluble lipoproteins, role in** (Hoseney et al.) ..... 153
- Wheat, high protein; baking properties of** (Mattern et al.) ... 309
- Wheat germ, effect on loaf volume and nutrition** (Pomeranz et al.) .. 429
- Yeast, influence on amino groups** (El-Dash, Johnson) ..... 247
- Cake, yellow; frozen, foam-spray-, freeze- and spray dried whole eggs in** (Funk et al.) ..... 732
- Carbohydrate, composition, of wheat** (Eheart, Mason) ..... 727
- Cereals; popped grains for feed use** (Walker et al.) ..... 513
- Changes in wheat lipids during seed maturation (a series):**  
**I** (Skarsaune et al.) ..... 522  
**II** (Skarsaune et al.) ..... 433
- Chlorine**  
**And hemicellulose, reaction in wheat flour bleaching** (Cole) ... 696  
**Tolerance by wheat flour microorganisms** (Kurtzman, Hesseltine) ..... 244
- Chromatography**  
**Gas-liquid, of wheat hydrocarbons** (Youngs, Gilles) ..... 317  
**Peptide maps, of gliadin and glutenin enzymatic digests** (Bietz, Rothfus) ..... 381
- Corn**  
**Amylose determination in dimethyl sulfoxide extracts of maize** (Wolf et al.) ..... 437  
**Chemical dehulling of** (Blessin et al.) ..... 303  
**Fatty acid composition of oil from four Zea mays L. inbred lines** (Jellum) ..... 549  
**Glutelin; extraction and structure studies** (Nielsen et al.) ..... 50  
**Mycotoxins; 1967 crop survey** (Shotwell et al.) ..... 700  
**Starch, commercial; amino acid composition of** (Reiners et al.) .. 205
- Dough(s)**  
**Acetic acid content of sour-dough French bread** (Hunter et al.) ... 189  
**Antioxidants, effects on** (Dahle, Murthy) ..... 296  
**Fish protein concentrate and lysine, effects on** (Sidwell, Hammerle) .. 739  
**Gluten-starch loaves, effect of pentosans on** (D'Appolonia et al.) . 194  
**Mixing; electronic recording mixer, factors affecting performance** (Voisey, Miller) ..... 207  
**Mixing; effect of pH and oxygen on** (Smith, Mullen) ..... 650  
**Mixing; protein changes in** (Herrick, Lawrence) ..... 607
- Dyes; amido black; to bind wheat proteins in gel electrophoresis** (Lawrence et al.) ..... 110
- Effects of fumigation on wheat in storage (a series):**  
**I** (Matthews et al.) ..... 579  
**II** (Matthews et al.) ..... 587
- Eggs**  
**Frozen, foam-, freeze-, and spray dried, in cream puffs** (Funk et al.). 324  
**Frozen, foam-, freeze-, and spray dried, in yellow layer cakes** (Funk et al.) ..... 732
- Electrophoresis**  
**To characterize:**  
**Petroleum ether-soluble lipoproteins** (Hoseney et al.) ... 153  
**Protein solutions; in polyacrylamide gels** (Lawrence et al.) ..... 91  
**Soybean globulins** (Catsimpoalas). 70  
**Wheat flour proteins, in polyacrylamide gels** (Lawrence et al.) ..... 98  
**For dye-binding capacity of wheat proteins** (Lawrence et al.) ..... 110  
**SBTI as a reference for soybean protein studies** (Eldridge et al.) .. 167
- Enzymes**  
**Beta-amylase, and protein bodies in barley** (Tronier, Ory) ..... 464  
**Beta-amylase, incubation with glutenin** (Rothfus, Kennel) .... 140



- Beta-amylase, induced by synthetic genome (Lee, Unrau) . . . . . 351
- Beta-amylase, in wheat; free and latent (Kruger) . . . . . 79
- Glucan hydrolase, purified from germinated barley (Moffa, Luchsinger) . . . . . 54
- Glycoamylase; use with DMSO in direct analysis of starch (Libbey) . . . . . 273
- In kidney beans, breakdown of aqueous extract (Hang et al.) . . . . . 259
- Lipoxidase, in spaghetti pigment destruction (Matsuo et al.) . . . . . 1
- Lipoxidase, inhibition by l-ascorbic acid in spaghetti pigment studies (Walsh et al.) . . . . . 119
- Effect on soybean trypsin inhibitor (Obara et al.) . . . . . 597
- In analysis of starch (Saunders et al.) . . . . . 147
- In wheat embryo, hydrolysis of alpha naphthyl acetate and l-leucyl-beta-naphthylamide . . . . . 282
- Errata**
- Chen and Houston (Vol. 47, p. 78) . . . . . 235
- Franks et al. (Vol. 46, p. 351) . . . . . 738
- Rinde et al. (Vol. 47, p. 225) . . . . . 649
- Feeds; use of popped grains for** (Walker et al.) . . . . . 513
- Fish protein concentrate**, and changes in dough characteristics (Sidwell, Hammerle) . . . . . 739
- Flour** (wheat, unless otherwise specified)
- Amylose content, by colorimetry (Williams et al.) . . . . . 411
- Chickpea, supplement to wheat in Egyptian bread (Shehata, Fryer) . . . . . 663
- Fumigation, effect on quality (Matthews et al.) . . . . . 579
- Gluten, gliadin-lipid-glutenin interaction in (Hoseney et al.) . . . . . 135
- Hydrocarbons in, analysis by gas-liquid chromatography (Youngs, Gilles) . . . . . 317
- Lipids in, distribution (Youngs et al.) . . . . . 640
- Lipoproteins in (Hoseney et al.) . . . . . 153
- Macromolecule interaction; IR and NMR spectroscopy (Wehrli, Pomeranz) . . . . . 160
- Microorganisms in; their chlorine tolerance (Kurtzman, Hesseltine) . . . . . 244
- Oilseed flours; addition to wheat in breadmaking (Matthews et al.) . . . . . 181
- Particle size measurement (Wilson, Donelson) . . . . . 126
- Paste, from inactivation of amylases; strength of (Meredith) . . . . . 492
- Paste; effect of amylase and metals on (Meredith) . . . . . 483
- Protein; analysis, by gel electrophoresis (Lawrence et al.) . . . . . 98
- Protein, characterization (Williams, Butler) . . . . . 626
- Protein; dye-binding capacities in gel electrophoresis (Lawrence et al.) . . . . . 110
- Protein; electron microscopy of (Seckinger, Wolf) . . . . . 236
- Protein; changes during dough mixing (Herrick, Lawrence) . . . . . 607
- Rice; purification of a major globulin from (Houston, Mohammad) . . . . . 5
- Starch; comparative methods of analysis (Saunders et al.) . . . . . 147
- Storage; physiochemical changes during (Yoneyma et al.) . . . . . 27
- Fractionation**
- Of corn kernels; for fatty-acid composition (Jellum) . . . . . 549
- Of gliadin protein; chromatography of peptic digests (Bietz et al.) . . . . . 393
- Of gluten proteins; for peptide mapping (Bietz, Rothfus) . . . . . 381
- Of sorghum grain; amino acids of (Skoch et al.) . . . . . 472
- Of wheat, starch in (Saunders et al.) . . . . . 147
- Of wheat germ; for protein and lipid composition (Pomeranz et al.) . . . . . 373
- Fumigation** (of stored wheat)
- Effect on baking quality (Calderon et al.) . . . . . 422
- Effect on quality of bread and rolls (Matthews et al.) . . . . . 587
- Effect on flour (Matthews et al.) . . . . . 579
- Functional (breadmaking) and biochemical properties of wheat flour components** (a series):
- VI (Hoseney et al.) . . . . . 135
- VII (Hoseney et al.) . . . . . 153



- Gelation**; of soybean globulins; molecular mechanism for (Catsimpoalas, Meyer) . . . . . 559
- Gliadin**  
 Amino acid composition of (Bietz et al.) . . . . . 393  
 And glutenin; interaction in wheat gluten (Hoseney et al.) . . . . . 135  
 Peptide maps of proteins (Bietz et al.) . . . . . 393
- Globulins**  
 Rice endosperm (Houston, Mohammad) . . . . . 5  
 Soybean; composition (Catsimpoalas) . . . . . 70  
 Soybean, gelation; molecular mechanism for (Catsimpoalas, Meyer) . . . . . 559  
 Soybean, glycinin; thermal aggregation of (Catsimpoalas et al.) . . . . . 331
- Gluten**  
 And cooking quality of spaghetti (Matsuo, Irvine) . . . . . 173  
 Gliadin-lipid-glutenin interaction in (Hoseney et al.) . . . . . 135  
 Lipids in (Youngs et al.) . . . . . 640  
 Proteins; chromatographic comparisons of enzymatic digests (Bietz, Rothfus) . . . . . 381  
 Rheological properties under tension and rupture (Rinde et al.) . . . . . 225
- Glutenin**  
 And beta-amylase; incubation with (Rothfus, Kennel) . . . . . 140  
 In corn endosperm; extraction and structure studies (Nielsen et al.) . . . . . 501  
 And gliadin, comparison of enzymatic digests (Bietz, Rothfus) . . . . . 381
- Glycine**, radioactive; to test browning reactions in breadmaking (Liau, Lee) . . . . . 404
- Glycolipids**, see **Lipids**
- Heterogeneity of soybean trypsin inhibitor** (a series):  
 I (Obara et al.) . . . . . 597
- Hydrocarbons**, wheat; analysis by gas-liquid chromatography (Youngs, Gilles) . . . . . 317
- Insects**  
 In stored cereal grains, control by N<sub>2</sub> depletion of O<sub>2</sub> (Person, Sorenson) . . . . . 679  
 Stinkbugs, see main entry
- Lipids**  
 In Corn; fatty-acid composition from kernel fractions of inbred lines (Jellum) . . . . . 549  
 In flour extraction (Bloksma) . . . . . 12  
 In flour fractions (Youngs et al.) . . . . . 640  
 In flour, free polar; effect on gas retention of gluten (Hoseney et al.) . . . . . 135  
 Galactolipids; interaction with starch and protein in bread dough (Wehrli, Pomeranz) . . . . . 221  
 Glycolipids, and flour complexes; IR and NMR spectroscopy (Wehrli, Pomeranz) . . . . . 160  
 Linoleic acid; and lipoxidase, in spaghetti pigment destruction (Matsuo et al.) . . . . . 1  
 Phospho- and glyco-, in wheat germ enriched bread (Pomeranz et al.) . . . . . 429  
 Soybean; oil decrease and fatty-acid increase from stinkbug damage (Hart) . . . . . 545  
 Wheat; changes in the kernel during seed maturation (Skarsaune et al.) . . . . . 522  
 Wheat; changes during seed ripening (Skarsaune et al.) . . . . . 533  
 In wheat flour, stored (Yoneyama et al.) . . . . . 19  
 In wheat germ, composition of (Pomeranz et al.) . . . . . 373
- Lipoproteins**; isolation from wheat flour oil (Hoseney et al.) . . . . . 153
- Lysine**  
 And fish protein concentrate, effect on bread dough (Sidwell, Hammerle) . . . . . 739  
 First-limiting amino acid in triticale (Kies, Fox) . . . . . 615

- In stored wheat, stability of (Ferre et al.) ..... 33
- In wheat, rye, and triticale proteins (Villegas et al.) ..... 746
- Methods**
- AES extraction and disc electrophoresis; to characterize wheat-flour proteins (Williams-Butler) ..... 626
- Atomic absorption spectroscopy and colorimetry, for mineral analysis of wheats (Zook et al.) . . . 715
- Amylograph and Hagberg's falling-number; for effect of amylose and metals on flour pasting properties (Meredith) . . . 483
- Chromatography, gas; to determine acetic acid content of sour-dough French bread (Hunter et al.) . . . 189
- Colorimetric; for estimating amylose content of starches (Williams et al.) ..... 411
- Comparative; for analysis of starch (Saunders et al.) ..... 147
- DMSO solubilization and glucoamylase; in direct analysis of starch (Libbey) ..... 273
- Density measurement of stinkbug damage to soybeans (Hart) . . . 49
- Dye-binding and biuret; for determining rice protein content (Parial, Rooney) ..... 38
- Flotation; to determine stinkbug damage to soybeans (Hart) . . . 369
- N<sub>2</sub>, for oxygen depletion of stored-grain insects (Person, Sorenson) ..... 679
- Parboiling; for canning stability of rice (Webb, Adair) ..... 708
- Radioactive counting of wheat flour proteins (Herrick, Lawrence) . . . 607
- Radioactive glycine tracer; to test Maillard-type browning reaction (Liau, Lee) ..... 404
- Spectroscopy, IR and NMR; of glycolipid-flour complexes (Wehrli, Pomeranz) ..... 160
- Spectroscopy, NMR; for rapid determination of starch hydroxypropyl content (Stahl, McNaught) ..... 345
- Sephadex G-75; for chromatographic fractionation of soybean trypsin inhibitor (Obara et al.) ..... 597
- Methods for determining extent of stinkbug damage in soybeans (a series):**
- I (Hart, Rowan) ..... 49
- II (Hart) ..... 369
- III (Hart) ..... 545
- Microorganisms**
- Chlorine tolerance, in wheat and flour (Kurtzman, Hesseltine) . . . 244
- In stored wheat flours, changing population of (Yoneyama et al.) . . 19
- Minerals; in selected wheats and products (Zook et al.) ..... 715**
- Milling, wet; properties of sorghum hybrids (Norris, Rooney) ..... 64**
- Moisture; from wheat and soybeans during heating (Iden et al.) ..... 43**
- Mycotoxins; survey for, in 1967 corn crop (Shotwell et al.) ..... 700**
- Natural maturing of wheat flour (a series):**
- I (Yoneyama et al.) ..... 19
- II (Yoneyama et al.) ..... 27
- New Starches (a series):**
- V (Subba Rao, Goering) ..... 655
- Nitrogen**
- Balance in human diet, lysine importance (Kies, Fox) ..... 615
- In control of stored-grain insects (Person, Sorenson) ..... 679
- Retention in humans, wheat and triticale diets compared (Kies, Fox) ..... 671
- Nutrient composition of selected wheats and wheat products**
- V (Eheart, Mason) ..... 727
- VI (Zook et al.) ..... 715

- Nutritive value**  
 Of lysine, for human nitrogen balance (Kies, Fox) . . . . . 615  
 Of protein from rice bran (Chen, Houston) . . . . . 72  
 Of low- and high-protein milled sorghum grain (Shoup et al.) . . . 266  
 Of trace minerals in selected wheats and products (Zook et al.) . . . . 715  
 Of wheat and triticale protein, comparison (Kies, Fox) . . . . . 671
- Ottawa Electronic Recording Dough Mixer (a series):**  
 VIII (Voisey, Miller) . . . . . 207
- Oxygen**  
 Effect on dough properties (Smith, Mullen) . . . . . 650  
 Replacement by N<sub>2</sub>, in controlling of stored-grain insects (Person, Sorenson) . . . . . 679
- Pasta products**  
 Effect of gluters on cooking quality (Matsuo, Irvine) . . . . . 173  
 Pigment destruction (Matsuo et al.) . . . . . 1  
 Pigment destruction; role of l-ascorbic acid in (Walsh et al.) . . 119
- Pentosans**  
 In flour extraction (Blokma) . . . 12  
 Effect on gluten-starch loaves (D'Appolonia et al.) . . . . . 194  
 pH; effect on dough properties (Smith, Mullen) . . . . . 650
- Pigment**  
 Destruction in spaghetti processing (Matsuo et al.) . . . . . 1  
 Destruction in spaghetti; effects of l-ascorbic acid (Walsh et al.) . . . 119  
 Protease; activity in stored wheat flours (Yoneyama et al.) . . . . . 19
- Protein**  
 Albumins 13A and 13B, isolation from wheat (Feillet, Nimmo) . . . 447  
 Chickpea flour, effect on wheat bread (Shehata, Fryer) . . . . . 663  
 Electron microscopy of (Seckinger, Wold) . . . . . 236  
 Fish concentrate, effect on breads (Sidwell, Hammerle) . . . . . 739  
 Glutelin, corn; extraction (Nielsen et al.) . . . . . 501  
 In brown and milled rice (Parial, Rooney) . . . . . 38  
 In rice; extraction from defatted bran (Chen, Houston) . . . . . 72  
 Insolubilization during soy milk drying (Fukushima, Van Buren) . . 687  
 Solubility; effect of pH and oxygen in dough mixing (Smith, Mullen) . . 658  
 In solution; apparatus for vertical electrophoresis through polyacrylamide gel (Lawrence et al.) . . . . . 91  
 In sorghum grain; solubility and composition (Skoch et al.) . . . . 472  
 Soybean; use of SBTI as electrophoretic reference (Eldridge et al.) . . . . . 167  
 In dried soy milk; effect of processing on redispersibility (Fukushima, Van Buren) . . . . 571  
 In wheat flour; analysis by polyacrylamide gel electrophoresis (Lawrence et al.) . . . . . 98  
 In wheat flour, characterization of (Williams, Butler) . . . . . 626  
 In wheat flour, changes during dough mixing (Herrick, Lawrence) . 607  
 In wheat (hard, red Atlas 66 X Comanche), characterization of (Mattern et al.) . . . . . 309  
 In wheat (Atlas 66 X Comanche); human nutritive value (Kies, Fox) . 671  
 In wheat germ, composition of (Pomeranz et al.) . . . . . 640
- Radioactivity studies**  
<sup>14</sup>C-labeled flour proteins; for effect of dough mixing on protein mobility (Herrick, Lawrence) . . . 607  
 Glycine-2-<sup>14</sup>C; to test Maillard-type browning reaction (Liau, Lee) . . 404
- Rice**  
 Endosperm; purification of a major globulin (Houston, Mohammad) . . 5  
 Parboil-canning stability of (Webb, Adair) . . . . . 708  
 Protein determination in (Parial, Rooney) . . . . . 38

- Protein; extraction from defatted bran (Chen, Houston) . . . . . 72
- Rye**, proteins; lysine content of (Villegas et al.) . . . . . 746
- Sludge**, wheat; lipids in (Youngs et al.) . . . . . 640
- Soluble proteins of wheat** (a series): III (Feillet, Nimmo) . . . . . 447
- Sorghum**  
 Amino acid composition of fractionated grain (Skoch et al.) . . . . . 472  
 Amino acids, and nutritional value of milled grain (Shoup et al.) . . . . . 266  
 Grain, immature; composition of (Deyoe et al.) . . . . . 363  
 Hybrids; wet-milling properties of (Norris, Rooney) . . . . . 64
- Sorghum grain**, *see* **Sorghum**
- Soy Milk**, *see* **Soybean(s) and products**
- Soybean(s) and products**  
 Globulins, composition of (Catsimpoolas) . . . . . 70  
 Globulins; molecular mechanism of gelation (Catsimpoolas, Meyer) . . . . . 559  
 Glycinin subunits; thermal aggregation of (Catsimpoolas et al.) . . . . . 331  
 Protein studies; SBTI as electrophoretic reference (Eldridge et al.) . . . . . 167  
 Soy milk; effect of processing on redispersibility of proteins (Fukushima, Van Buren) . . . . . 571  
 Soy milk; mechanisms of protein insolubilization during drying (Fukushima, Van Buren) . . . . . 687  
 Stinkbug damage, quality deterioration from (Hart) . . . . . 545  
 Stinkbug damage, density method of determining (Hart, Rowan) . . . . . 49  
 Stinkbug damage, flotation method of determining (Hart) . . . . . 369  
 Trypsin inhibitor; characterization of (Obara et al.) . . . . . 597
- Spaghetti**, *see* **Pasta products**
- Starch**  
 Amylose determination, in dimethyl sulfoxide extracts of maize (Wolf et al.) . . . . . 437  
 Amylose determination, by colorimetry (Williams et al.) . . . . . 411  
 Amylomaize; physicochemical properties of dispersions (Adkins et al.) . . . . . 13  
 In *Amaranthus retroflexus*; properties of small granules from (Subba Rao, Goering) . . . . . 655  
 Analysis, comparative methods of (Saunders et al.) . . . . . 147  
 Analysis, direct, using DMSO and glucoamylase (Libbey) . . . . . 273  
 Analysis, rapid, of hydroxypropyl content by NMR spectroscopy (Stahl, McNaught) . . . . . 345  
 Barley; viscosity of twelve genotypes (Goering et al.) . . . . . 592  
 In sorghum hybrid wet-milling (Norris, Rooney) . . . . . 64  
 In wheat; lipids in (Youngs et al.) . . . . . 640  
 In wheat; modification by free radical initiating systems for graft polymerization (Fanta et al.) . . . . . 85
- Stinkbugs**  
 Damage to soybeans, determination by density method (Hart, Rowan) . . . . . 49  
 Damage to soybeans, determination by flotation method (Hart) . . . . . 369  
 Damage to soybean quality (Hart) . . . . . 545
- Storage studies** (on wheat flour)  
 Farinograph and extensigraph property changes (Yoneyama et al.) . . . . . 19  
 Lysine stability (Ferrel et al.) . . . . . 33  
 Effect of temperature on SH content and rheological properties of doughs (Yoneyama et al.) . . . . . 27  
 Fumigation; effect on quality of flour (Matthews et al.) . . . . . 579  
 Fumigation; effect on baking qualities (Calderon et al.) . . . . . 422  
 Fumigation; effect on quality of breads and rolls (Matthews et al.) . . . . . 587  
 N<sub>2</sub>, for O<sub>2</sub> depletion of stored-grain insects (Person, Sorenson) . . . . . 679
- Studies on the extraction of proteins from red kidney beans** (a series): I (Yang et al.) . . . . . 259
- Studies on starches of high amylose content** (a series): XI (Adkins et al.) . . . . . 13

- Studies with radioactive tracers (a series):**  
 XVI (Liau, Lee) . . . . . 404
- Sulphydryl**  
 In dried soy milk; effect of processing on protein redispersibility (Fukushima, Van Buren) . . . . . 571  
 In soy milk protein insolubilization (Fukushima, Van Buren) . . . . . 687  
 In stored wheat flour, decreased content (Yoneyama et al.) . . . . . 27
- Tenderness**  
 Spaghetti, influence of gluten (Matsuo, Irvine) . . . . . 173
- Triticale**  
 Amino acid influence on human nitrogen retention (Kies, Fox) . . . . . 615  
 Nutritive value for humans (Kies, Fox) . . . . . 671  
 Proteins, lysine content of (Villegas et al.) . . . . . 746
- Trypsin Inhibitor**  
 In soybeans; isolation and characterization of enzyme-specific fragments (Obara et al.) . . . . . 597
- Viscosity; (cooking) curves of twelve barley genotypes (Goering et al.) . . . . . 592**
- Wheat**  
 Beta-amylases in, free and latent (Kruger) . . . . . 79  
 Carbohydrate composition of (Eheart, Mason) . . . . . 727  
 Embryo; enzyme hydrolysis of (Prentice et al.) . . . . . 282  
 Endosperm; electron microscopy of protein (Seckinger, Wolf) . . . . . 236  
 Fumigation; effect on baking quality of (Calderon et al.) . . . . . 422  
 Fumigation; effect on bread quality (Matthews et al.) . . . . . 587  
 Fumigation; effect on flour (Matthews et al.) . . . . . 579  
 Hemicellulose; reaction with chlorine (Cole) . . . . . 696  
 High protein; baking characteristics of (Mattern et al.) . . . . . 309  
 Lipids, changes in kernel during seed maturation (Skarsaune et al.) . . . . . 522  
 Lipids, chromatographic changes during seed ripening (Skarsaune et al.) . . . . . 533  
 Lysine; storage stability of (Ferrel et al.) . . . . . 33  
 Microorganisms; chlorine tolerance (Kurtzman, Hesseltine) . . . . . 244  
 Mineral analysis of (Zook et al.) . . . . . 715  
 Proteins, lysine content of (Villegas et al.) . . . . . 746  
 Triticale; nutritional importance of (Kies, Fox) . . . . . 615
- Wheat germ**  
 Effect on loaf volume of white flour doughs (Pomeranz et al.) . . . . . 429  
 Proteins and lipids in (Pomeranz et al.) . . . . . 373
- Wheat germ in breadmaking (a series):**  
 I (Pomeranz et al.) . . . . . 373  
 II (Pomeranz et al.) . . . . . 429